

21st of September, 2016

CE Declaration of Performance

Manufacturer's Name: Ross Roof Group

Manufacturer's Address: 1c Inlet Road
Papakura 2112
New Zealand
Ph +64 9 2999498
Fax +64 9 2984114

Product Names: Bond, Classic, Roman, Royal, Shake, Shingle, Tudor, Antica, CF Shingle

Product Description: Profiled steel roofing tiles with protective coatings consisting of:

- Base Steel 0.39mm
- Zinalume Coating 0.04mm (AZ150)
- Total Steel Coated Thickness = 0.43mm TCT
- Acrylic Primer
- Acrylic Basecoat
- Natural Stone Chip
- Acrylic Overglaze

Testing: **PN-EN 14782:2008** Self-supporting metal sheets for roofing

Testing Laboratory: Instytut Techniki Budowlanej (ITB)
00-611 Warszawa
ul. Filtrowa 1
Ph +48 22 8250471
Fax +48 22 8255286

Testing Report: LM00-00869/14/Z00NM

Ross Roof Group, New Zealand, declares that our Tilcor Roofing Systems range of 'Stone-coated Steel Roofing Tiles and Accessories' have been tested and conform to PN-EN 14782:2008. Full test carried out by ITB Testing Laboratories in Warsaw, Poland can be provided on request.



Cameron Ross
Director
Ross Roof Group